



Teso


DESIGN DANTE O. BENINI &amp; LUCA GONZO



verticale  
vertical  
verticale  
vertikal  
vertical



orizzontale  
horizontal  
horizontale  
horizontal  
horizontal



## verticale / vertical / verticale / vertikal / vertical

A* cm	inches	B* cm	inches	I* cm	inches	art*	L*	BTU Δt 50°	watt Δt 50°
150.0	59.1	25.0	9.8	5.0	2.0	TS00V15001B	1.1	1324	388
150.0	59.1	50.3	19.8	30.3	11.9	TS00V15002B	2.3	2648	776
150.0	59.1	75.6	29.8	55.6	21.9	TS00V15003B	3.5	3973	1164
170.0	66.9	25.0	9.8	5.0	2.0	TS00V17001B	1.2	1 471	431
170.0	66.9	50.3	19.8	30.3	11.9	TS00V17002B	2.5	2 942	862
170.0	66.9	75.6	29.8	55.6	21.9	TS00V17003B	3.9	4 413	1 293
200.0	78.7	25.0	9.8	5.0	2.0	TS00V20001B	1.4	1 730	507
200.0	78.7	50.3	19.8	30.3	11.9	TS00V20002B	2.9	3 461	1 014
200.0	78.7	75.6	29.8	55.6	21.9	TS00V20003B	4.4	5 191	1 521

E* watt
200
500
700
250
500
700
300
700
900

P\* 117

## orizzontale / horizontal / horizontale / horizontal / horizontal

B* cm	inches	A* cm	inches	I* cm	inches	art*	L*	BTU Δt 50°	watt Δt 50°
150.0	59.1	25.0	9.8	5.0	2.0	TS00O15001B	1.1	1171	343
150.0	59.1	50.3	19.8	30.3	11.9	TS00O15002B	2.3	2345	687
150.0	59.1	75.6	29.8	55.6	21.9	TS00O15003B	3.5	3515	1030
170.0	66.9	25.0	9.8	5.0	2.0	TS00O17001B	1.2	1 332	390
170.0	66.9	50.3	19.8	30.3	11.9	TS00O17002B	2.5	2 664	781
170.0	66.9	75.6	29.8	55.6	21.9	TS00O17003B	3.9	3 996	1 171
200.0	78.7	25.0	9.8	5.0	2.0	TS00O20001B	1.4	1 567	459
200.0	78.7	50.3	19.8	30.3	11.9	TS00O20002B	2.9	3 134	918
200.0	78.7	75.6	29.8	55.6	21.9	TS00O20003B	4.4	4 701	1 377

A\* = altezza / height / hauteur / Höhe / alto B\* = larghezza / width / longueur / Breite / ancho art\* = articolo / model / model / Artikel / artículo  
P\* = pagina / page / page / Seite / página I\* = interasse / pipe centres / distance entre depart et retour / Achsabstand / distancia entre las conexiones  
E\* = elettrico / electrical / electric / elektrische / eléctrico  
L\* = contenuto acqua / content / volume / Inhalt / volumen

Kcal = Watt x 0.860 BTU = Watt x 3.413

verticale / vertical / verticale / vertikal / vertical

Watt Δt 20° = Watt Δt 50° x 0.283

Watt Δt 30° = Watt Δt 50° x 0.495

Watt Δt 40° = Watt Δt 50° x 0.735

Watt Δt 60° = Watt Δt 50° x 1.286

orizzontale / horizontal / horizontale / horizontal / horizontal

Watt Δt 20° = Watt Δt 50° x 0.323

Watt Δt 30° = Watt Δt 50° x 0.532

Watt Δt 40° = Watt Δt 50° x 0.759

Watt Δt 60° = Watt Δt 50° x 1.252

p max = 6.5 bar

Colori / colours / couleurs / Farbe / colores

[ BIAN ]

B standard

T + 10%

S + 20%

S + 20%

[ RAL ]

RAL non inclusi in tabella

special Ral colours

couleurs Ral spéciales

RAL Farbe nicht in der Tabelle inbegriffen


colores RAL especiales

Ulteriori dettagli  
Further details  
Ulérieures détails  
Weitere Einzelheiten  
Otros detalles




AVC0631\_  
AVC0602\_

P\* 120




# Teso crom\_gold


DESIGN DANTE O. BENINI & LUCA GONZO



verticale  
vertical  
verticale  
vertical  
vertical




orizzontale  
horizontal  
horizontal  
horizontal  
horizontal



## verticale / vertical / verticale / vertikal / vertical

A* cm	inches	B* cm	inches	I* cm	inches	art*	L*	BTU $\Delta t$ 50°	watt $\Delta t$ 50°
150.0	59.1	25.0	9.8	5.0	2.0	TS00V15001_	1.1	1324	388
150.0	59.1	50.3	19.8	30.3	11.9	TS00V15002_	2.3	2648	776
150.0	59.1	75.6	29.8	55.6	21.9	TS00V15003_	3.5	3973	1164
170.0	66.9	25.0	9.8	5.0	2.0	TS00V17001_	1.2	1 471	431
170.0	66.9	50.3	19.8	30.3	11.9	TS00V17002_	2.5	2 942	862
170.0	66.9	75.6	29.8	55.6	21.9	TS00V17003_	3.9	4 413	1 293
200.0	78.7	25.0	9.8	5.0	2.0	TS00V20001_	1.4	1 730	507
200.0	78.7	50.3	19.8	30.3	11.9	TS00V20002_	2.9	3 461	1 014
200.0	78.7	75.6	29.8	55.6	21.9	TS00V20003_	4.4	5 191	1 521

E* watt	
200	
500	
700	
250	
500	
700	
300	
700	
900	
	P* 117

## orizzontale / horizontal / horizontale / horizontal / horizontal

B* cm	inches	A* cm	inches	I* cm	inches	art*	L*	BTU $\Delta t$ 50°	watt $\Delta t$ 50°
150.0	59.1	25.0	9.8	5.0	2.0	TS00O15001_	1.1	1171	343
150.0	59.1	50.3	19.8	30.3	11.9	TS00O15002_	2.3	2345	687
150.0	59.1	75.6	29.8	55.6	21.9	TS00O15003_	3.5	3515	1030
170.0	66.9	25.0	9.8	5.0	2.0	TS00O17001_	1.2	1 332	390
170.0	66.9	50.3	19.8	30.3	11.9	TS00O17002_	2.5	2 664	781
170.0	66.9	75.6	29.8	55.6	21.9	TS00O17003_	3.9	3 996	1 171
200.0	78.7	25.0	9.8	5.0	2.0	TS00O20001_	1.4	1 567	459
200.0	78.7	50.3	19.8	30.3	11.9	TS00O20002_	2.9	3 134	918
200.0	78.7	75.6	29.8	55.6	21.9	TS00O20003_	4.4	4 701	1 377

A\* = altezza / height / hauteur / Höhe / alto    B\* = larghezza / width / longueur / Breite / ancho    art\* = articolo / model / model / Artikel / artículo  
P\* = pagina / page / page / Seite / página    I\* = interasse / pipe centres / distance entre départ et retour / Achsabstand / distancia entre las conexiones  
E\* = elettrico / electrical / electric / elektrisch / eléctrico  
L\* = contenuto acqua / content / volume / Inhalt / volumen



Ulteriori dettagli  
Further details  
Ulérieures détails  
Weitere Einzelheiten  
Otros detalles

P\* 120

**R [CROM]**  
Cromo spazzolato / brushed chrome / chrome brossé / gebürstet  
Chrome / cromo cepillado.

**G [GOLD]**  
Oro spazzolato / brushed gold / doré brossé / gebürstet Gold  
oro cepillado.

Kcal = Watt x 0.860    BTU = Watt x 3.413

verticale / vertical / verticale / vertikal / vertical

Watt  $\Delta t$  20° = Watt  $\Delta t$  50° x 0.283

Watt  $\Delta t$  30° = Watt  $\Delta t$  50° x 0.495

Watt  $\Delta t$  40° = Watt  $\Delta t$  50° x 0.735

Watt  $\Delta t$  60° = Watt  $\Delta t$  50° x 1.286

orizzontale / horizontal / horizontale / horizontal / horizontal

Watt  $\Delta t$  20° = Watt  $\Delta t$  50° x 0.323


Watt  $\Delta t$  30° = Watt  $\Delta t$  50° x 0.532

Watt  $\Delta t$  40° = Watt  $\Delta t$  50° x 0.759

Watt  $\Delta t$  60° = Watt  $\Delta t$  50° x 1.252


p max = 6.5 bar

attacco standard  
standart connection  
raccord standard  
standard Anschluss  
conexión estándar




[H] attacco speciale  
special connection  
raccord spéciale  
speziell Anschluss  
conexión especial


**SOVATTINC**



Max 3 radiatori / Max 3 radiators  
Max 3 radiateurs / Max 3 radiadores  
Max 3 Heizkörper



**AVC0591\_**



**AVC0591\_**



art\*

**AVHCROM**

cronotermistato digitale per versione elettrica a radio frequenza / digital chronothermostat for electric version / chronothermostat digital  
pour version électrique avec radiofréquence / der digital Chronothermostat für elektrische Ausführung mit Radiofrequenz  
cronotermistato digital para version electrica en radio frecuencia



art\*

**AVHRICC**

ricevitore per cronotermistato digitale / receiver for digital chronothermostat  
receveur pour chronothermostat digital  
digital Chronothermostat Empfänger / receptor para cronotermistato digital

